

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

1177 June 16, 1905

tory system, 2; of the digestive system, 4; senile debility, 2, and diseases badly defined, 4.

Natives, 9; foreigners, 5. Daily average of deaths, 2.

Mortality statistics of Rio de Janeiro for the week ended April 30, 1905.

During this week there were in all 297 deaths. Of this number 23 were caused by yellow fever, with 50 new cases. The deaths were distributed in four sections of the city, exclusive of the 14 which occurred in São Sebastião Hospital. At the end of the week there were 15 cases at this hospital and also 14 cases held there for observation as suspicious cases.

Twenty of the deaths were among foreigners, 1 among natives,

and the nationality of the other 2 was unknown.

There were no new cases of plague, but there was 1 death from this disease, leaving 1 case in the plague hospital.

Variola caused 6 deaths and there were 11 new cases, leaving at the end of the week 26 cases under treatment at the São Sebastião Hospital.

Other causes of deaths were: Measles, 2; diptheria, 1; grippe, 15; enteric fever, 1; dysentery, 1; beriberi, 3; malarial fevers, 3; tuberculosis, pulmonary form, 52; other forms of tuberculosis, 2; infection (septicemia), 2; syphilis, 2; cancer, 6; other general diseases, 3; diseases of the nervous system, 23; of the circulatory system, 51; of the respiratory system, 27; of the digestive system, 34; of the urinary system, 8; of the skin, 1; congenital debility, 12; senile debility, 2; violence, except suicide, 14; suicide, 1; and diseases badly defined, 2.

Natives, 202; foreigners, 90; and nationality unknown, 5. By localities: In houses, homes, etc., 186; in civil hospitals, 45; in military hospitals, 5; in Santa Casa de Misericordia, 53; in asylums, convents, etc., 2; in places unknown, 6.

The highest range of the thermometer was 28.2° C., and the lowest was 21.3° C., with an average for the week of 23.78° C. The total

rainfall was 3.90 mm.

Week ended May 7, 1905.

During the week ended this date there were in all 253 deaths, of which number 12 were caused by yellow fever—11 foreigners—with 46 notifications of new cases, of which number, up to the date of issuance of the report, 28 had been confirmed and the remainder were held under observation. Eight of the deaths occurred in hospital and the remainder in 4 different city districts. There were no cases of nor deaths from plague, and there is only one case left in the hospital—a convalescent.

Variola caused 15 new cases and 6 deaths, leaving at the end of the

week 26 cases in São Sebastião Hospital.

The other causes of death were as follows: Measles, 2; whooping cough, 1; diphtheria, 1; grippe, 16; enteric fever, 1; dysentery, 1; beriberi, 1; erysipelas, 1; malarial fevers, 6; tuberculosis, 42; septicemia, 3; syphilis, 1; cancer, 5; other tumors, 1; other general diseases, 3; diseases of the nervous system, 24; of the circulatory system, 39; of the respiratory system, 25; of the digestive system, 39; of the urinary system, 8; accidents during the puerperal state, 1; dis-